


57

03CO #3



Attorney's Docket No.: 05513.P002

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re Application of:)
Ivan P. Mollov)
Application No.: 10/078,056)
Filed: February 15, 2002)
For: X-RAY IMAGING DEVICE)

Assistant Commissioner for Patents
Initial Patent Examination Division
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS
(FILING DATE GRANTED)

Sir:

In response to the Notice to File Corrected Application Papers (Filing Date
Granted) mailed March 12, 2002, please find enclosed:

- (1) Substitute drawings in compliance with 37 CFR 1.84


No fee is due, however if any additional fee is required, please charge Deposit
Account No. 02-2666.

A duplicate of this Response is enclosed for deposit account charging purposes.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Dated: April 8, 2002



Suk S. Lee
Reg. No. 47,745

12400 Wilshire Blvd.
Seventh Floor
Los Angeles, CA 90025-1026
(408) 720-8300



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/078,056	02/15/2002	Ivan P. Mollov	05513.P002

APR 16 2002

CONFIRMATION NO. 6327

FORMALITIES LETTER



OC000000007620941

Suk S. Lee
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026

Date Mailed: 03/12/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE